

## 8 Literature

- Baker, R.J. 1986. *Selection Indices in Plant Breeding*. Boca Raton: CRC Press Inc.
- Bänziger, M., H.R. Lafitte, and G.O. Edmeades. 1995. Intergenotypic competition during evaluation of maize progenies under limited and adequate N supply. *Field Crops Research* 44: 25-31.
- Bänziger, M., F.J. Betrán, and H.R. Lafitte. 1997. Efficiency of high-nitrogen selection environments for improving maize for low-nitrogen target environments. *Crop Science* 37:1103-1109.
- Bänziger, M., and H.R. Lafitte. 1997a. Efficiency of secondary traits for improving maize for low-nitrogen target environments. *Crop Science* 37:1110-1117.
- Bänziger, M., and H.R. Lafitte. 1997b. Breeding for N-stressed environments: How useful are N-stressed selection environments and secondary traits? In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 401-404. Mexico, D.F.: CIMMYT.
- Bänziger, M., G.O. Edmeades, and H.R. Lafitte. 1999. Selection for drought tolerance increases maize yields over a range of N levels. *Crop Science* 39:1035-1040.
- Beck, D., F.J. Betrán, M. Bänziger, M. Willcox, and G.O. Edmeades. 1997. From landrace to hybrid: strategies for the use of source populations and lines in the development of drought tolerant cultivars. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 369-382. Mexico, D.F.: CIMMYT.
- Below, F.E. 1997. Growth and productivity of maize under nitrogen stress. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 235-240. Mexico, D.F.: CIMMYT.
- Betran, F.J., M. Bänziger, and D.L. Beck. 1997. Relationship between line and topcross performance under drought and non-stressed conditions in tropical maize. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 383-386. Mexico, D.F.: CIMMYT.
- Bolaños, J., and G.O. Edmeades. 1991. Value of selection for osmotic potential in tropical maize. *Agronomy Journal*. 83:948-956.
- Bolaños, J., and G.O. Edmeades. 1993a. Eight cycles of selection for drought tolerance in lowland tropical maize. I. Responses in grain yield, biomass, and radiation utilization. *Field Crops Research* 31:233-252.
- Bolaños, J., and G.O. Edmeades. 1993b. Eight cycles of selection for drought tolerance in lowland tropical maize. II. Responses in reproductive behavior. *Field Crops Research* 31:253-268.
- Bolaños, J., G.O. Edmeades, and L. Martinez. 1993. Eight cycles of selection for drought tolerance in lowland tropical maize. III. Responses in drought-adaptive physiological and morphological traits. *Field Crops Research* 31:269-286.
- Bolaños, J., and G.O. Edmeades. 1996. The importance of the anthesis-silking interval in breeding for drought tolerance in tropical maize. *Field Crops Research* 48:65-80.
- Byrne, P.F., J. Bolaños, G.O. Edmeades, and D.L. Eaton. 1995. Gains from selection under drought versus multilocation testing in related tropical maize populations. *Crop Science* 35:63-69.

- Castleberry, R.M. 1986. Border height effects on two row corn plot yields. In D. Wilkinson (ed.), *Report of 41st Annual Corn and Sorghum Research Conference*, 171-179. Washington D.C.: American Seed Trade Association.
- Comstock, R.E., H.F. Robinson, and P.H. Harvey. 1949. A breeding procedure designed to make maximum use of both general and specific combining ability. *Agronomy Journal* 41:360-367.
- Chapman, S.C., and G.O. Edmeades. 1999. Selection improves drought tolerance in tropical maize populations: II. Direct and correlated responses among secondary traits. *Crop Science* 39(5):1315-1324.
- Classen, M.M., and R.H. Shaw. 1970. Water deficit effects on corn. II. Grain components. *Agronomy Journal* 62: 652-655.
- Denmead, O.T., and R.H. Shaw. 1960. The effects of soil moisture stress at different stages of growth on the development and yield of corn. *Agronomy Journal* 52:272-274.
- Doorenbos, J., and W.O. Pruitt. 1984. *Guidelines for Predicting Crop Water Requirements*. FAO Irrigation and Drainage Paper 24. Rome: FAO.
- Dudley, J.W. 1984. A method of identifying lines for use in improving parents of a single cross. *Crop Science* 24:355-357.
- DuPlessis, D.P., and F.J. Dijkhuis. 1967. The influence of time lag between pollen shedding and silking on the yield of maize. *South African Journal of Agricultural Science* 10:667-674.
- Edmeades, G.O., J. Bolaños, M. Hernández, and S. Bello. 1993. Causes for silk delay in a lowland tropical maize population. *Crop Science* 33:1029-1035.
- Edmeades, G.O., J. Bolaños, M. Bänziger, S.C. Chapman, A. Ortega C., H.R. Lafitte, K.S. Fischer, and S. Pandey. 1997a. Recurrent selection under managed drought stress improves grain yields in tropical maize. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 415-425. Mexico, D.F.: CIMMYT.
- Edmeades, G.O., J. Bolaños, and S.C. Chapman. 1997b. Value of secondary traits in selecting for drought tolerance in tropical maize. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 222-234. Mexico, D.F.: CIMMYT.
- Edmeades, G.O., M. Bänziger, J. Bolaños, D. Beck, and A. Ortega C. 1997c. Development and *per se* performance of CIMMYT maize populations as drought-tolerant sources. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 254-262. Mexico, D.F.: CIMMYT.
- Edmeades, G.O., M. Bänziger, D.L. Beck, S.C. Chapman, and M. Cortes. 1997d. Drought and low N testing networks - past, present and future. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 405-409. Mexico, D.F.: CIMMYT.
- Edmeades, G.O., M. Bänziger, M. Cortes C., and A. Ortega C. 1997e. From stress-tolerant populations to hybrids: The role of source germplasm. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 263-273. Mexico, D.F.: CIMMYT.

- Edmeades, G.O., J. Bolanos, M. Bänziger, J.-M. Ribaut, J.W. White, M.P. Reynolds, and H.R. Lafitte. 1998. Improving crop yields under water deficits in the tropics. In V.L. Chopra, R.B. Singh and A. Varma (eds), *Crop Productivity and Sustainability - Shaping the Future. Proc. 2<sup>nd</sup> Int. Crop Science Congress*, 437-451. New Delhi: Oxford and IBH.
- Edmeades, G.O., J. Bolaños, S.C. Chapman, H.R. Lafitte, and M. Bänziger. 1999. Selection improves drought tolerance in tropical maize populations: I. Gains in biomass, grain yield, and harvest index. *Crop Science* 39(5): 1306-1315.
- Falconer, D.S. 1989. *Introduction to Quantitative Genetics, 3rd Edition*. London: Longman.
- Fukai, S., and M. Cooper. 1995. Development of drought-resistant cultivars using physio-morphological traits in rice. *Field Crops Research* 40:67-86.
- Gardner, C.O. 1961. An evaluation of effects of mass selection and seed irradiation with thermal neutrons on yield of corn. *Crop Science* 1:241-245.
- Gadelmann, J. 1984. Using exotic germplasm to improve northern corn. In D. Wilkinson (ed.), *39<sup>th</sup> Annual Corn & Sorghum Research Conferences*, 98-110. Washington, D.C.: ASTA.
- Gilmour, A.R., B.R. Cullis, S.J. Welham, and R. Thompson. 1998. ASREML, NSW Agriculture, Orange, 2800, Australia.
- Grant, R.F., B.S. Jackson, J.R. Kiniry, and G.F. Arkin. 1989. Water deficit timing effects on yield components in maize. *Agronomy Journal* 81:61-65.
- Hall, A.E., R.A. Richards, A.G. Condon, G.C. Wright, and G.D. Farquhar. 1994. Carbon isotope discrimination and plant breeding. *Plant Breeding Review* 12:81-113.
- Hallauer, A.R. 1973. Hybrid development and population improvement in maize by reciprocal full-sib selections. *Egyptian Journal of Genetics and Cytology* 2:84-101.
- Hallauer, A.R., and S.A. Eberhart. 1970. Reciprocal full-sib selection. *Crop Science* 10:315-316.
- Hsiao, T.C. 1973. Plant responses to water stress. *Annual Review of Plant Physiology* 24:519-570.
- Kiesselbach, T.A. 1949. The structure and reproduction of corn. Nebraska Agr. Exp. Stn. Res. Bul. 161.
- Kiniry, J. 1991. Maize phasic development. In *Modeling Plant and Soil Systems*, 55-70. Agronomy Monograph No. 13. Madison, Wisconsin: ASA-CSSA-SSSA.
- Lafitte, H.R., and G.O. Edmeades. 1994a. Improvement for tolerance to low soil nitrogen in tropical maize. I. Selection criteria. *Field Crops Research* 39:1-14.
- Lafitte, H.R., and G.O. Edmeades. 1994b. Improvement for tolerance to low soil nitrogen in tropical maize. II. Grain yield, biomass production, and N accumulation. *Field Crops Research* 39:15-25.
- Lafitte, H.R., and G.O. Edmeades, 1994c. Improvement for tolerance to low soil nitrogen in tropical maize III. Variation in yield across environments. *Field Crops Research* 39:27-38.
- Lafitte, H.R., and G.O. Edmeades. 1995. Stress tolerance in tropical maize is linked to constitutive changes in ear growth characteristics. *Crop Science* 35:820-826.
- Lafitte, H.R., and M. Bänziger. 1997. Maize population improvement for low soil N: selection gains and the identification of secondary traits. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 485-489. Mexico, D.F.: CIMMYT.

- Lafitte, H.R., M. Bänziger, M.A. Bell, and G.O. Edmeades. 1997. Addressing soil variability in low nitrogen breeding programs. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 537-540. Mexico, D.F.: CIMMYT.
- Lin, C.Y. 1978. Index selection for genetic improvement of quantitative characters. *Theoretical and Applied Genetics* 52:49-56.
- Ludlow, M.M., and R.C. Muchow. 1990. A critical evaluation of traits for improving crop yields in water-limited environments. *Advances in Agronomy* 43:107-153.
- NeSmith, D.S., and J.T. Ritchie. 1992. Effects of soil water-deficits during tassel emergence on development and yield components of maize (*Zea mays* L.). *Field Crops Research* 28:251-256.
- Ribaut, J.-M., D.A. Hoisington, J.A. Deutsch, C. Jiang, and D. González-de-Leon. 1996. Identification of quantitative trait loci under drought conditions in tropical maize. I. Flowering parameters and the anthesis-silking interval. *Theoretical and Applied Genetics* 92:905-914.
- Ribaut, J.-M., C. Jiang, D. González-de-Leon, G.O. Edmeades, and D.A. Hoisington. 1997a. Identification of quantitative trait loci under drought conditions in tropical maize. 2. Yield components and marker-assisted selection strategies. *Theoretical and Applied Genetics* 94:887-896.
- Ribaut, J.-M., D. González-de-León, C. Jiang, G.O. Edmeades, and D. Hoisington. 1997b. Identification and transfer of ASI quantitative trait loci (QTL): A strategy to improve drought tolerance in maize lines and populations. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 396-400. Mexico, D.F.: CIMMYT.
- Ribaut, J.-M., D. Hoisington, G.O. Edmeades, E. Huerta, and D. González-de-León. 1997c. Changes in allelic frequencies in a tropical maize population under selection for drought tolerance. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 392-395. Mexico, D.F.: CIMMYT.
- Ribaut, J.-M., and D. Hoisington. 1998. Marker-assisted selection: new tools and strategies. *Trends in Plant Science* 3:236-239.
- Rosielle, A.A., and J. Hamblin. 1981. Theoretical aspects of selection for yield in stress and non-stress environments. *Crop Science* 21:943-946.
- Schussler, J.R., and M.E. Westgate. 1995. Assimilate flux determines kernel set at low water potential in maize. *Crop Science* 35:1074-1080.
- Tanner, C.B., and T.R. Sinclair. 1983. Efficient water use in crop production: research or re-research? In H.M. Taylor, W.R. Jordan, and T.R. Sinclair (eds.), *Limitations to Efficient Water Use in Crop Production*, 1-27. Madison, Wisconsin: ASA, CSSA, SSSA.
- Turner, N.C. 1981. Techniques and experimental approaches for the measurement of plant water status. *Plant & Soil* 58:339-366.
- Turner, N.C. 1986. Crop water deficits: a decade of progress. *Advances in Agronomy* 39:1-51.
- Vasal, S.K., H.S. Córdova, D.L. Beck, and G.O. Edmeades. 1997. Choices among breeding procedures and strategies for developing stress-tolerant maize germplasm. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 336-347. Mexico, D.F.: CIMMYT.

- Westgate, M.E. 1997. Physiology of flowering in maize: identifying avenues to improve kernel set during drought. In G.O. Edmeades, M. Bänziger, H.R. Mickelson, and C.B. Peña-Valdivia (eds.), *Developing Drought and Low N-Tolerant Maize. Proceedings of a Symposium, March 25-29, 1996, CIMMYT, El Batán, Mexico*, 136-141. Mexico, D.F.: CIMMYT.
- Westgate, M.E, and J.S. Boyer. 1986. Reproduction at low silk and pollen water potentials in maize. *Crop Science* 26:951-956.
- Westgate, M.E., and P. Bassetti. 1991. Heat and drought stress in corn: what really happens to the corn plant at pollination? In D. Wilkinson (ed.), *Proc. 45th Annual Corn and Sorghum Res. Conf., Chicago, Dec. 5-6. 1990*, 12-28. Washington D.C.: ASTA.
- Zhang, J., U. Schurr, and W.J. Davies. 1987. Control of stomatal behaviour by abscisic acid which apparently originates in the roots. *Journal of Experimental Botany* 38:1174-1181.
- Zinselmeier, C., J.R. Schussler, M.E. Westgate, and R.J. Jones. 1995. Low water potential disrupts carbohydrate metabolism in maize ovaries. *Plant Physiology* 107:385-391.